WEST Search History

DATE: Tuesday, October 21, 2003

Set Name side by side	Query	Hit Count	Set Name result set
DB=USPT,PGPB; PLUR=YES; OP=OR			
L15	UREA NEAR10 (UBIQUINONE (COENZYME ADJ Q10))	3	L15
DB=PGPB,JPAB,EPAB,DWPI; PLUR=YES; OP=OR			
L14	urea near30 (coenzyme adj q10)	13	L14
L13	urea near30 (ubiquinone)	1	L13
L12	urea near30 (uniquinone)	0	L12
DB=JPAB,EPAB,DWPI; PLUR=YES; OP=OR			
L11	UREA NEAR10 (UBIQUINONE (COENZYME ADJ Q10))	6	L11
L10	UREA NEAR10 (HYDROQUINONE (COENZYME ADJ Q10))	60	L10
DB=USPT,PGPB,JPAB,EPAB,DWPI; PLUR=YES; OP=OR			
L9	UREA NEAR20 (HYDROQUINONE (COENZYME ADJ Q10))	370	L9
L8	UREA NEAR30 (HYDROQUINONE (COENZYME ADJ Q10))	420	L8
DB=USPT; PLUR=YES; OP=OR			
L7	UREA NEAR20 (COENZYME ADJ Q10)	1	L7
L6	L4 and (whey near3 powder)	8	L6
L5	L4 and powder	18	L5
L4	L3 and pasteur\$	24	L4
L3	whey.ab. and (heat\$) and temperature and cosmetic	49	L3
DB=PGPB,JPAB,EPAB,DWPI; PLUR=YES; OP=OR			
L2	whey.ab. and (beat\$ boil\$) and temperature and cosmetic	3	L2
DB=USPT; PLUR=YES; OP=OR			
L1	whey.ab. and (beat\$ boil\$) and temperature and cosmetic	16	L1

END OF SEARCH HISTORY

```
PΑ
     D.T.R. Dermal Therapy Research Inc., Can.
SO
     PCT Int. Appl., 40 pp.
     CODEN: PIXXD2
DT
     Patent
LA
     English
FAN.CNT 2
     PATENT NO.
                       KIND DATE
                                              APPLICATION NO. DATE
                             _____
                                              -----
                       ----
                        A2
DТ
     WO 2001017484
                              20010315
                                              WO 2000-CA1031
                                                                20000907
     WO 2001017484
                        A3
                              20010927
                       C2
     WO 2001017484
                              20020829
         W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT,
              LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU,
              SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN,
              YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM
         RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY,
              DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ,
              CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG
     EP 1214049
                              20020619
                                             EP 2000-958066 20000907
                        A2
         R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL
     US 2003104080
                       A1
                              20030605
                                              US 2002-87850
                                                               20020305
PRAI US 1999-152637P
                        Ρ
                              19990907
     WO 2000-CA1031
                        W
                              20000907
     ANSWER 17 OF 22 CAPLUS COPYRIGHT 2003 ACS on STN
L19
     2001:82642 CAPLUS
AN
DN
     135:132358
TΤ
     Randomized, double-blind placebo-controlled trial of coenzyme Q10 in
     chronic renal failure: Discovery of a new role
     Singh, Ram B.; Khanna, Hari K.; Niaz, Mohammad A.
ΔII
CS
     Centre of Nutrition, Medical Hospital and Research Centre, Moradabad,
SO
     Journal of Nutritional & Environmental Medicine (2000), 10(4), 281-288
     CODEN: JNEMFF; ISSN: 1359-0847
PB
     Carfax Publishing
DT
     Journal
     English
LΑ
RE.CNT 30
               THERE ARE 30 CITED REFERENCES AVAILABLE FOR THIS RECORD
               ALL CITATIONS AVAILABLE IN THE RE FORMAT
L19
     ANSWER 18 OF 22 CAPLUS COPYRIGHT 2003 ACS on STN
ΔN
     2000:126992 CAPLUS
DN
     132:313648
TI
     Plasma levels of coenzyme Q10, vitamin E and lipids in uremic patients on
     conservative therapy and hemodialysis treatment: some possible biochemical
     and clinical implications
ΑU
     Lippa, S.; Colacicco, L.; Bondanini, F.; Calla, C.; Gozzo, M. L.;
     Ciccariello, M.; Angelitti, A. G.
CS
     Istituto di Chimica e Chimica Clinica, Universita Cattolica del S. Cuore,
     Rome, Italy
SO
     Clinica Chimica Acta (2000), 292(1-2), 81-91
     CODEN: CCATAR; ISSN: 0009-8981
PB
     Elsevier Science Ireland Ltd.
DT
     Journal
T.A
     English
RE.CNT 26
               THERE ARE 26 CITED REFERENCES AVAILABLE FOR THIS RECORD
              ALL CITATIONS AVAILABLE IN THE RE FORMAT
L19 ANSWER 19 OF 22 CAPLUS COPYRIGHT 2003 ACS on STN
ΆN
     1999:359962 CAPLUS
```

DN

131:181506

```
ΑN
     2002:637513 CAPLUS
DN
     137:190730
ΤI
     Compositions of therapeutic biochemical compounds involved in bioenergy
     metabolism of cells
PA
     Rath, Matthias, Neth.
SO
     PCT Int. Appl., 16 pp.
     CODEN: PIXXD2
DT
     Patent
LA
     English
FAN.CNT 1
     PATENT NO.
                     KIND DATE
                                          APPLICATION NO. DATE
     ------
                     ----
                           -----
                                          _____
                    A2
PΙ
     WO 2002064129
                           20020822
                                          WO 2002-EP1545
                                                          20020214
     WO 2002064129
                           20030508
         W: AE, AU, BR, CA, CN, CU, CZ, EE, HR, HU, ID, IL, IN, JP, KR, LT,
            LV, MK, MX, NO, NZ, PL, RO, RU, SG, SI, SK, TR, UA, ZA
         RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL,
             PT, SE, TR
     US 2002173546
                           20021121
                                          US 2002-77283
                      Α1
                                                          20020214
                                          BR 2002-3902
     BR 2002003902
                      Α
                           20030128
                                                          20020214
     NO 2002004536
                      Α
                           20020920
                                          NO 2002-4536
                                                          20020920
PRAI US 2001-268825P
                      Ρ
                           20010214
     WO 2002-EP1545
                      W
                           20020214
L19
     ANSWER 12 OF 22 CAPLUS COPYRIGHT 2003 ACS on STN
AN
     2002:591669 CAPLUS
DN
     137:154384
     Symbiotic regenerative compositions containing microorganisms
ΤI
IN
     Schuer, Joerg-Peter
PΑ
     Germany
     Eur. Pat. Appl., 25 pp.
SO
     CODEN: EPXXDW
DT
     Patent
LA
     German
FAN.CNT 1
     PATENT NO. KIND DATE
                                       APPLICATION NO. DATE
                                         -----
                     ----
                                     EP 2001-102384 20010202
     EP 1228769 A1 20020807
PΙ
         R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
            IE, SI, LT, LV, FI, RO, MK, CY, AL, TR
     WO 2002067986
                     A2 20020906
                                          WO 2002-EP1056
                                                          20020201
            AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN,
            CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,
            GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,
            LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH,
            PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ,
            UA, UG, US, UZ, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU,
            TJ, TM
         RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH,
            CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR;
            BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG
PRAI EP 2001-102384
                    Α
                           20010202
             THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE.CNT 5
             ALL CITATIONS AVAILABLE IN THE RE FORMAT
L19
    ANSWER 13 OF 22 CAPLUS COPYRIGHT 2003 ACS on STN
AN
     2002:591621 CAPLUS
     137:129572
DN
TI
     Skin care product
PΑ
    Koehler Pharma G.m.b.H., Germany
SO
    Ger. Gebrauchsmusterschrift, 14 pp.
     CODEN: GGXXFR
```

ANSWER 11 OF 22 CAPLUS COPYRIGHT 2003 ACS on STN

L19

```
LA
      German
FAN.CNT 1
                                            APPLICATION NO. DATE
                     KIND DATE
      PATENT NO.
                           ----
                                                     -----
                                                                          -----
      DE 20204160 U1
                                   20020808
                                                     DE 2002-20204160 20020314
PΙ
PRAI DE 2002-20204160
                                 20020314
      ANSWER 14 OF 22 CAPLUS COPYRIGHT 2003 ACS on STN
L19
AN
      2002:143204 CAPLUS
DN
      136:189383
TΤ
      A water-free transdermal delivery system
      Dransfield, Charles William
TN
PΑ
      Australia
      U.S. Pat. Appl. Publ., 17 pp.
SO
      CODEN: USXXCO
DT
      Patent
      English
LA
FAN.CNT 1
      PATENT NO. KIND DATE
                                                   APPLICATION NO. DATE
                                  -----
                                                      -----
                           A1
     US 2002022052
                                   20020221
                                                     US 2001-863764 20010524
PΙ
                           Α
PRAI AU 2000-6691
                                   20000406
      AU 2000-8885
                           Α
                                   20000721
      ANSWER 15 OF 22 CAPLUS COPYRIGHT 2003 ACS on STN
L19
AN
      2001:396644 CAPLUS
DN
      135:24671
      Solid carriers for improved delivery of active ingredients in
TI
      pharmaceutical compositions
IN
      Patel, Manesh V.; Chen, Feng-jing
PA
      Lipocine, Inc., USA
      PCT Int. Appl., 107 pp.
SO
      CODEN: PIXXD2
DT
      Patent
      English
LA
FAN.CNT 9
      PATENT NO. KIND DATE
                                            APPLICATION NO. DATE
                           _ _ _ _
      -----
                                  -----
                                                     -----
      WO 2001037808 A1 20010531
                                                WO 2000-US32255 20001122
PΙ
          W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM

RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG
                                                US 1999-447690 19991123
EP 2000-980761 20001122
      US 6248363
                            B1
                                   20010619
      EP 1233756
                            A1
                                 20020828
               AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR
      JP 2003517470
                           T2
                                   20030527
                                                     JP 2001-539423
                                                                         20001122
PRAI US 1999-447690
                            Α
                                   19991123
      WO 2000-US32255
                            W
                                   20001122
                 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE.CNT 4
                 ALL CITATIONS AVAILABLE IN THE RE FORMAT
      ANSWER 16 OF 22 CAPLUS COPYRIGHT 2003 ACS on STN
L19
      2001:185530 CAPLUS
AN
      134:227128
DN
      Topical urea composition for the skin
TI
IN
      Singh, Parashu Ram; Perlmutter, Alan Lorne
```

DT

Patent

```
TI
     The plasma membrane NADH oxidase of HeLa cells has hydroquinone oxidase
     activity
     Kishi, Takeo; Morre, Dorothy M.; Morre, D. James
AU
CS
     Department of Medicinal Chemistry and Molecular Pharmacology, Purdue
     University, West Lafayette, IN, 47907, USA
so
     Biochimica et Biophysica Acta (1999), 1412(1), 66-77
     CODEN: BBACAQ; ISSN: 0006-3002
PB
     Elsevier Science B.V.
DT
     Journal
LA
     English
RE.CNT 35
              THERE ARE 35 CITED REFERENCES AVAILABLE FOR THIS RECORD
              ALL CITATIONS AVAILABLE IN THE RE FORMAT
L19
     ANSWER 20 OF 22 CAPLUS COPYRIGHT 2003 ACS on STN
AN
     1998:489534 CAPLUS
DN
     129:293760
TI
     Percutaneous absorption of one hundred drugs and the derivation of an
     experimental regression equation
ΑU
     Xu, Jingfeng; Zhao, Weijuan; Zhang, Mei; Liu, Mei; Wang, Jinping; Jin,
     Yinghua; Wang, Yurong
CS
     Beijing Military Command Clinical Pharmaceutical Institute, Beijing,
     100700, Peop. Rep. China
SO
     Zhongguo Yaoxue Zazhi (Beijing) (1998), 33(2), 86-91
     CODEN: ZYZAEU; ISSN: 1001-2494
PΒ
     Zhongquo Yaoxuehui
DT
     Journal
LA
     Chinese
                                                            18,19,20.
     ANSWER 21 OF 22 CAPLUS COPYRIGHT 2003 ACS on STN
L19
AN
     1987:421938 CAPLUS
DN
     107:21938
ΤI
     Coenzyme Q production by Aureobasidium
IN
     Komiya, Hideyuki
     Sanko Seisakusho K. K., Japan
PA
     Jpn. Kokai Tokkyo Koho, 4 pp.
SO
     CODEN: JKXXAF
DT
     Patent
LA
     Japanese
FAN.CNT 1
     PATENT NO.
                     KIND DATE
                                         APPLICATION NO. DATE
     -----------
                           -----
                                           -----
     JP 61293391
                      A2
                           19861224
                                          JP 1985-133031 19850620
                     B4
     JP 63009838
                           19880302
PRAI JP 1985-133031
                           19850620
L19
    ANSWER 22 OF 22 CAPLUS COPYRIGHT 2003 ACS on STN
AN
     1981:139993 CAPLUS
DN
     94:139993
ΤI
     Coenzyme Qs.
PΑ
     Mitsui Toatsu Chemicals, Inc., Japan
SO
     Jpn. Kokai Tokkyo Koho, 4 pp.
     CODEN: JKXXAF
DT
     Patent
LA
     Japanese
```

FAN.CNT 1 PATENT NO. KIND DATE APPLICATION NO. DATE -------------------------PТ JP 55118437 A2 19800911 JP 1979-25121 19790306 B4 19870204 JP 62005413 PRAI JP 1979-25121 19790306

```
L19 ANSWER 21 OF 22 CAPLUS COPYRIGHT 2003 ACS on STN
     1987:421938 CAPLUS
AN
DN
     107:21938
ΤI
     Coenzyme Q production by Aureobasidium
     Komiya, Hideyuki
IN
PA
     Sanko Seisakusho K. K., Japan
so
     Jpn. Kokai Tokkyo Koho, 4 pp.
     CODEN: JKXXAF
DT
     Patent
LA
     Japanese
IC
     ICM C12P007-66
     16-2 (Fermentation and Bioindustrial Chemistry)
CC
FAN.CNT 1
                 KIND DATE
     PATENT NO.
                                           APPLICATION NO. DATE
     -----
                                           -----
     JP 61293391 A2
JP 63009838 B4
                            19861224
                                           JP 1985-133031 19850620
PRAI JP 1985-133031
AB Th 7-1
                            19880302
                            19850620
     In coenzyme Q prodn. by Aureobacidium, the cultured cells were
     centrifuged, dried, and extd. with DMSO alone or in combination with other
     solvents to recover coenzyme Q. Thus, Aureobasidium sp. 14 was cultured
     in a medium contg. urea 16.9, KH2PO4 60, MgSO4.cntdot.7H2O 6,
     FeCl3.cntdot.6H2O 0.18g, benzoyl thiamine-HCl 12.4 mg, p-hydroxybenzoic
     acid 2250 ppm, inorg. salts, and tap water 12 L at 30.degree. and pH 5.5
     for 6 days. The cells were collected, dried, extd. with DMSO-iso-proOH
     (1:1). The ext. was treated with hexane, and the hexane layer was sepd.,
     washed, dehydrated, evapd. under reduced pressure, redissolved in acetone,
     and chromatographed on silica gel to obtain 9.965 mg coenzyme Q10.
ST
     Aureobasidium coenzyme Q manuf
TT
     Aureobasidium
        (coenzyme Q manuf. by, extn. with DMSO in relation to)
TТ
     Fermentation
        (coenzyme Q, by Aureobasidium, extn. with DMSO in relation to)
TΤ
     64-17-5, Ethanol, biological studies 67-56-1, Methanol, biological
     studies 67-63-0, Isopropanol, biological studies 67-64-1, Acetone,
     biological studies
     RL: BIOL (Biological study)
        (coenzyme Q extn. from Aureobasidium fermn. with DMSO and)
TΤ
     67-68-5, DMSO, biological studies
     RL: BIOL (Biological study)
        (coenzyme Q extn. with, from Aureobasidium)
IT
     303-98-0P, Coenzyme Q10
     RL: BMF (Bioindustrial manufacture); BIOL (Biological study); PREP
     (Preparation)
        (manuf. of, with Aureobasidium, extn. with DMSO in relation to)
T.19
     ANSWER 22 OF 22 CAPLUS COPYRIGHT 2003 ACS on STN
     1981:139993 CAPLUS
AN
DN
     94:139993
TI
     Coenzyme Qs.
PA
     Mitsui Toatsu Chemicals, Inc., Japan
     Jpn. Kokai Tokkyo Koho, 4 pp.
SO
     CODEN: JKXXAF
DT
     Patent
T.A
     Japanese
TC
     C07C050-28; C07C046-00
CC
     30-40 (Terpenoids)
FAN.CNT 1
     PATENT NO.
                 KIND DATE
                                 APPLICATION NO. DATE
                     ----
                                           -----
PI JP 55118437 A2 19800911
JP 62005413 B4 19870204
PRAI JP 1979-25121 19790306
                                          JP 1979-25121
                                                           19790306
```

MeO CH₂CH= CMeCH₂ (CH₂CH= CMeCH₂)
$$_{n}$$
H
MeO Me

Coenzyme Qs I (n = 1, 8, 9) were prepd. by treating 2,3-dimethoxy-5-methyl-p-benzohydroquinone (II) with HOCH2CH:CMeCH2(CH2CH:CMeCH2)nH, AB H2C:CHC(OH)MeCH2(CH2CH:CMeCH2)nH, or their reactive derivs. in the presence of Lewis acids and RR1NCOR2 (R, R1 = H, alkyl; R2 = H, alkyl, NH2, alkylamino) followed by oxidn. Thus, stirring 1.27 mL BF3-Et2O with decaprenyl alc. 3.49, II 3.68, and urea 0.6 g in C6H6-hexane 2 h gave, after oxidn. with aq. FeCl3, 2.4 g I (n = 9). ST coenzyme Q 303-97-9P 303-98-0P TT 606-06-4P RL: SPN (Synthetic preparation); PREP (Preparation) (prepn. of) IT 51743-70-5 RL: RCT (Reactant); RACT (Reactant or reagent) (reaction of, with dimethoxymethylbenzohydroquinone, coenzyme Q derivs. from) IT 3066-90-8 RL: RCT (Reactant); RACT (Reactant or reagent)

(reaction of, with polyprenyl alcs., coenzyme Q derivs. from)

Ι